

NB & IC FITTINGS



IC BHUSING M/F

Material : 304

Size : ½" to 2"



IC HEX NIPPLE

Material : 304

Size : ½" to 2"



IC HOSE COLLAR (HOSE NIPPLE) BSP

Material : 304

Size : ¾" to 4"



IC UNION BSP F/F

Material : 304

Size : ¼" to 2"



IC REDUCER F/F BSP

Material : 304

Size : ½" to 4"



IC BALL VALVE BSP

Material : 304

Size : ¼" to 2"



IC BALL VALVE FLANGE 150 CLASS

Material : 304

Size : 1" to 12"

S.S. TRI-CLOVER FITTINGS



S.S. TC BUTTER FLY VALVE

Material : 304/316
Size : 1" to 8"



S.S. TC SAMLING VALVE

Material : 304/316
Size : 1/2" to 1"



S.S. ZERO END DEAD LEG VALVE

Material : 304/316
Size : 1" to 2"



SS BUTTER FLY SANDWICH VALVE

Material : 304/316
Size : 1/2" to 16"



S.S. TC BALL VALVE

Material : 304/316
Size : 1/2" to 2"



S.S. TC FLUSH BOTTEM VALVE

Material : 304/316
Size : 1" to 4"



S.S. TC NRV VALVE

Material : 304/316
Size : 1/2" to 3"



S.S. TC DIAPHRAGM VALVE

Material : 304/316
Size : 1/2" to 2"



S.S. SPREY BALL VALVE

Material : 304/316
Size : 1/2" to 1"

GASKET, SILICON TUBES & SPARES



S.S. HOSE COLLAR

Size : ¼" to 2"



S.S. HEX NIPPLE

Size : ¼" to 2"



S.S. HEX NIPPLE (REDUCER) M/F BSP-NPT THREAD

Material : 304

Size : 1/8" to 2"



S.S. HEX NIPPLE (REDUCER) F/F BSP-NPT THREAD

Size : 1/8" to 2"



S.S. COUPLING NPT THREAD

Size : 1/8" to 2"



S.S. HEX PLUG

Size : ¼" to 2"



S.S. PIPE NIPPLE (SIZE BELOW MENTION)

Size : ¼" to 2"



S.S. NRV VALVE

Material : 304/316

Size : ½" to 3"

GASKET, SILICON TUBES & SPARES



TC SILICON GASKET

Size : ½" to 8"



TEFLON GASKET

Size : ½" to 8"



SILICON BRAIDED TUBE



SILICON BRAIDED HOSE TUBE

Size : 1" to 4"



S.S. TC PIPE



**S.S. PIPE HOLDING CLAMP
(DAIRY CLAMP)**

Material : 304
Size : ½" to 4"



S.S. LIQUID FEELING NOZZEL



S.S. SMS UNION

Material : 304



S.S. TC CONICAL FILTER

Size : 1" to 4", 1" to 6"
1 ½" to 8"

S.S. TRI-CLOVER FITTINGS



S.S. TC FERRULE OD WELDED

Material : 304/316
Size : ½" to 8"



S.S. TC FERRULE SOCKET

Material : 304/316
Size : ½" to 8"



S.S. TC FERRULE HOSE NIPPLE

Material : 304/316
Size : 8mm to 50mm



S.S. TC FERRULE MALE BSP

Material : 304/316
Size : ¼" BSP to 1" BSP



S.S. TC FERRULE FEMALE BSP

Material : 304/316
Size : ¼" BSP to 1" BSP



S.S. TC FERRULE BLIND

Material : 304/316
Size : ½" to 8"



S.S. TC END BEND

Material : 304/316
Size : ½" to 4"



S.S. TC END TEE

Material : 304/316
Size : ½" to 4"



S.S. TC REDUCER

Material : 304/316
Size : ½" to 4"

S.S. TRI-CLOVER FITTINGS



S.S. TC CLAMP

Material : 304
Size : ½" to 8"



S.S. TRI-CLOVER CLAMP

Material : 304/316
Size : ½" to 8"



S.S. FELLING NEEDLE AS PER REQUIREMENT

Material : 316/316L



S.S. TC DAIRY TEE OD

Material : 304/316
Size : ½" to 4"



S.S. TC DAIRY BEND OD

Material : 304/316
Size : ½" to 4"



S.S. TC DAIRY REDUCER OD CON TYPE & DAI TYPE

Material : 304/316
Size : ½" to 4"



S.S. AIRVENT VALVE

Material : 304/316
Size : ¼"



S.S. DRAIN VALVE

Material : 304/316
Size : ¼" to 2"



S.S. FLOT VALVE

Material : 304/316
Size : ½" to 2"

NB & IC FITTINGS



NB ELBOW
SCH 10-40-80-180

Material : 304/316
Size : ½" to 12"



NB TEE
SCH 10-40-80-180

Material : 304/316
Size : ½" to 12"



NB REDUCER
SCH 10-40-80-180

Material : 304/316
Size : ½" to 6"



BAAR STOCK BALL VALVE

Material : 304/316
Size : ¼" to 2"



NEEDLE VALVE

Material : 304/316
Size : ¼" to 1"



CHECK NUT

Material : 304/316
Size : ¼" to 2"



IC ELBOW F/F BSP

Material : 304
Size : ¼" to 4"



IC TEE F/F BSP

Material : 304
Size : ¼" to 4"



IC SOCKET (COUPLING) BSP

Material : 304
Size : ½" to 4"